



**DIAMTECH RESEARCH CENTRE
PVT LTD.**

Guardian Pro[®]



Quick Start Guide & User Manual 1.0.5

CONFIDENTIAL

The information contained herein is the property of DRC.

Any reproduction, publication, or distribution to a

Third party is strictly forbidden.

Introduction

Guardian Pro has been meticulously developed and engineered for the **efficient, reliable, and accurate identification** of **CVD** and **HPHT Laboratory-Grown Diamonds (LGD)**, whether in **loose stones** or **mounted jewellery**.

Since laboratory-grown diamonds are **visually identical** to natural diamonds, the jewellery supply chain faces increasing challenges due to the **undisclosed presence of LGDs**. To uphold transparency and integrity across the industry, it is essential to employ a **precise detection instrument** capable of distinguishing between natural and laboratory-grown diamonds.

Guardian Pro represents the **latest innovation** in diamond detection technology, designed to identify **CVD**, **HPHT**, and now also **Cubic Zirconia (CZ)** stones with high accuracy. This enhancement ensures comprehensive screening and strengthens consumer confidence in the authenticity of diamond products.

Recognizing the consumer's **right to transparency**, **Guardian Pro** enables **retailers, wholesalers, and manufacturers** to verify the origin and authenticity of their merchandise with confidence.

This manual provides detailed guidance for the **effective, efficient, and safe operation** of the **Guardian Pro** instrument.

Users are strongly advised to review this manual thoroughly before operation to ensure **optimal performance and reliable results**.

1. Safety First

At DRC, the safety of everyone who uses our instruments is important. We recommend reading the safety information and operating instructions before operating Guardian Pro. Failure to observe these instructions can lead to injury, damage to the device, and less-than-optimal operating results.

Guardian Pro has been designed to be operated safely and effectively by conscientious operators who observe the safety and operational protocols explained in this document.

1.1. Symbol Notations and Definitions


Please observe the written and graphic cautions and warnings explained in this manual

Symbol	Description
	This symbol indicates possible software damage or loss of data that may occur and result in a permanent loss of stored information. Attention is required by an authorized DRC technical specialist.
	This symbol indicates potential exposure to rays of invisible laser radiation. Avoid exposing eyes and skin to direct or scattered radiation. Proper eye and skin protection is required.
	<p>To reduce the risk of electric shock or damage to the equipment:</p> <ul style="list-style-type: none">• Do not disable the power cord grounding plug. It is an important safety feature.• Plug the power cord into a grounded electrical outlet that is always easily accessible.• Unplug the power cord from the power supply to disconnect power to the equipment. <p>Place the power cord where it is not damaged by or compressed by items placed near it.</p>

1.2. Caution – Laser Radiation

- Adhere to all written and graphics symbol warnings in this user manual. For safe and productive operations, this instrument should only be operated by authorised and trained users who have read the procedures and guidelines of this manual.
- Do not stare at the internal light or view it through optical devices. This is a Class II-A laser product. Always avoid eye and skin exposure to direct or indirect radiation. Use proper, approved eye and skin protection.
- Lasers are classified for safety purposes based on their potential for causing injury to human eyes and skin.
- Most products that incorporate lasers are required by law to have a label listing the Class.

Eye injury hazard



2. Physical Specifications, Designed Functions, Capabilities, & Features.

Physical Specifications for Guardian Pro

- Dimensions: 313 x 321 x 230 MM (12.5 x 12.5 x 8.8 inches)
- Weight: 10.7 Only machine

Power Supply:


- Input voltage range: 120 - 240 V
- Input Current: $\geq 3A$
- Typical Response Time: 5 s
- Temperature Range: 5 – 35-degree C

The Guardian Pro manufactured by DRC has been designed and developed for the identification of CVD and HPHT Laboratory-grown diamonds. It has been created with the following functions.

- Detection of both CVD and HTHP Laboratory-grown diamonds
- Diamonds of any shape, including rough or unfinished stones
- Diamonds from 0.003 carats in weight and larger, approximately 0.80 -0.85 mm. (Sieve size +0000 – 000)
- Loose stones (uncounted in the Jewellery) or stones mounted in jewellery
- Diamonds in the colour range of D through J-K colour (GIA scale)
- Use the Guardian Pro and its integrated mobile phone software only for its intended use as described in this manual.
- Keep the device dry and away from liquids to avoid electrical shorts and shocks.
- The Guardian Pro is not heat-resistant: please keep it away from radiators and open flames.
- Repairs must be performed only by an authorized service engineer. Unauthorized tampering with the device will void the warranty
- Do not modify or alter the device.

Never operate any electrical device if it has a damaged cord or plugs if it is not working properly if it has been dropped or damaged. Call DRC for technical support.

3. Guardian Pro and Included Accessories



Jewellery or Ring Tray



Loose Diamond Tray



Adaptor



USB C - C Cable



Ring Holder



Bangle Rotational Holder



Sample Pendant



Allen Key Set



Fluorescent Pen

4. Setup (No Tools Are Required for Assembly)

4.1. Unboxing

1. Cut any exterior strapping, and any cellophane wrapping and discard responsibly.
2. Open the package carefully.
3. Separate the contents from the foam packaging.
4. We suggest that you keep the box, if possible, for at least 60 days.



4.2. Inventory the Contents

1. Lay out all the components.
2. Check them against the above itemisation of components and trays.
3. Make note of any items that are missing or damaged.
4. Contact the DRC Support Team as noted on the laminated worksheet to arrange for replacements to be sent and possibly a claim request from the carrier. Report any shortage or damage to Support@drcindia.in.

4.3. Set Up the Machine

1. Set the Guardian Pro on a study table, countertop, or desk.
2. The surface should be flat and level.

5. Initial Start-Up

5.1. Mobile Device



Note that the default mobile device used in the Guardian Pro is the Nokia XR20. User instructions for this mobile phone can be found here:


https://www.nokia.com/phones/en_us/support/nokiaxr20-user-guide

- a. The integrated mobile phone is not intended to be used as a personal communication device. DO NOT remove it and try to use it for this purpose.
- b. The Nokia mobile device is shipped with a proprietary DRC software application pre-installed.
- c. Do not remove the phone from its housing unless instructed to do so by the Support Team at DRC.
- d. This phone is shipped with a minimal charge. We suggest that once you plug in the Guardian Pro the device is allowed to charge for 2 to 3 hours.

If the battery is completely discharged, it may take several minutes before the charging indicator is displayed.

- Insert the proper end of the USB cord into the outlet at the base of the instrument.
- Insert the other end of the USB cord into the power plug and plug the unit into a grounded power source.
- To Switch on the machine, press the power switch.






1. Fingerprint Sensor
2. Camera
3. Microphone
4. Flash
5. SIM and Memory Card Slot
6. The Google Assistant / Google Search key
7. Front Camera
8. Earpiece
9. Headset Connector
10. Volume keys
11. Power/Lock key
12. USB connector
13. Microphone
14. Loudspeaker

5.2. System Setup

To switch on your phone, press and hold the power key until the phone vibrates

- When the phone is on for the first time, choose your language and time. Select Settings/Menu >> Time & language > Date and time The DRC default language is English.
- Follow the instructions shown on your phone.
- Turn on Wi-Fi. This phone does not use a mobile data connection. It requires a Wi-Fi network.
- Tap Settings/Menu > Network & Internet > Wi-Fi.
 - Switch Wi-Fi to ON.
 - Select the connection/network that you want to use.
 - Enter your network's Wi-Fi password.
 - Your Wi-Fi connection is active when network Wi-Fi icon is shown on the status bar at the top of the screen.
- Install Available updates. This mobile device is shipped with the most current software; however, it is helpful to check for the latest Android software updates.
 - **Tap Settings > System > Advanced > System update > Check for Update to check if updates are available.**
 - **If your phone notifies you that an update is available, follow the instructions shown on your phone.**
- For everyday operation, power up the unit by pushing the Power Button on the side of the mobile device.
- Select either the Loose Diamond Tray or the Jewellery tray, seat it on the Slide-In Tray, and push the tray into the machine.
- The device will turn on and the home screen will display an icon labelled DRC. Tap this button and wait for the scanning program to load and display the DRC Guardian Pro home screen.



6. Guardian Pro Program Desktop


The opening desktop for the DRC software program is arranged for easy operation. Tap the Guardian Pro icon and the introductory splash screen at the right will appear on the screen before the operating desktop for the Guardian Pros program will appear.



6.1. Navigating the Guardian Pro Home Page

When you open the Guardian Pro software, the **Home Page** will appear as shown in the illustration below.

The interface provides easy access to all key functions, each identified by an icon or button. Below is a description of the main features:



1. **Manual Charging ON/OFF**
2. **Settings**
3. **Main Power Button**
4. **Scanning Field**
5. **Archive File of Scans & Report**
6. **Automatic Lot Number**
7. **Main Scan Button**
8. **Probe Selection: Diamonds, Jewellery & Bangle (Select the appropriate probe as per the loaded merchandise.)**
9. **Manual Screen Rotation**
10. **High Gain Mode**
11. **Scanning Mode:**
M = Manual Scanning (without Marking & Fast scanning)
AI =Automatic Scanning (AI based Auto detection and marking)
12. **Manual Focus Bar**

1. **Manual Charging ON/OFF** – Toggle to enable or disable manual charging.
2. **Settings** – Access system configurations and customization options.
3. **Main Power Button** – Switch the machine ON or OFF.
4. **Scanning Field** – The active display area where the scanning process is visualized.
5. **Archive (Scans & Reports)** – Retrieve saved scans and generates reports for review.
6. **Automatic Lot Number** – System-generated lot number for efficient tracking and identification.
7. **Main Scan Button** – Start the scanning process.
8. **Probe Selection** – Choose the scanning Probe: **Diamonds, Jewellery, or Bangle.** (Select the appropriate probe as per the loaded merchandise)
9. **Manual Screen Rotation** – Flip or rotate the screen display for better visibility.
10. **High Gain Mode** – Enhance signal sensitivity for improved scan accuracy.
11. **Scanning Mode** – Select between:
 - **M (Manual Scanning):** Fast scanning without marking.
 - **AI (Automatic Scanning):** AI-based detection with automated marking.
12. **Manual Focus Bar** – Adjust the scanning focus manually for precise results.

6.2. Preparing for Merchandise Scanning

The Guardian Pro machine must be set to the right merchandise category so that the camera can accurately capture and diagnose the image of each item that it scans.

Every scan is automatically archived. If you want to customize the details of the merchandise that you scan, follow these directions.

Click on Form button from the bottom menu to customize the label for your scan and add detailed information for either loose diamonds or diamond-set jewelry.

Enter this information before scanning.

If you do not enter your own data, an automatic lot number is assigned.

The **top section** is designed for loose stones,

The **Upper section** is for jewelry.

- a) Lot Number: You can assign your own lot, SKU, or
- b) Tracking Number.
- c) Carat Weight of the Diamonds you have Scanned.
- d) Sample Required (Notes).
- e) Details (Notes).


The **lower section** is for jewellery.

- a) Lot or Purchase Order Number
- b) SKV Number
- c) Size (Finger Size for Rings)
- d) Carat
- e) Carat Weight of Gemstones
- f) Gross Weight
- g) Net Weight
- h) Diamond (Quantity)
- i) Diamond (Weight)

The screenshot shows a mobile application interface titled "Diamond Details". The form is organized into two main sections. The upper section, which is highlighted by a blue arrow from the text "The Upper section is for jewelry.", contains the following fields: "LotNo" (with the value "136"), "Carat", "Sample Required (CTS)", and a "Details" text area. The lower section, highlighted by a blue arrow from the text "The lower section is for jewellery.", contains the following fields: "Lot#/Po#", "SKV No", "Size", "Kt", "Ct", "Gross Wt", "Net Wt", "Diamond (pcs)", and "Diamond (wt)". At the bottom of the form is a "SUBMIT" button.

6.3. Trays and its attachments

- **Before you scan:** To ensure accurate diamond detection, it is important to choose the right attachment for the Guardian Pro Machine.

	<p>Mounted Jewellery Tray: -</p> <p>The Mounted Jewellery Tray contains slots for up to twenty-four (24) rings. Pendants, earrings, neck less and other Jewellery can be positioned on this tray for scanning.</p>
	<p>Loose Stone Tray: -</p> <p>The Loose Stone Tray has an inscribed alphanumeric grid so that you can identify the location of specific diamonds when you view multiple stones. Guardian Pro can scan and detect either rough or finished stones.</p>


➤ **The Ring and Bangle tray comes with two attachments for identifying the stones.**

1. Bangle Rotational Holder
2. Ring Holder

Eternity Bangle & Ring Attachments	
	<p>Bangle Rotational Holder: -</p> <p>The Bangle Rotational Holder is used to securely mount bangles or circular ornaments during the 360° scanning process. It ensures stable rotation and accurate surface capture for precise measurement and inspection.</p>
	<p>Ring Holder: -</p> <p>The Ring Holder is used to securely mount a ring during the 360° scanning process. It ensures stable positioning and precise rotation, allowing accurate measurement and detailed surface scanning of the ring.</p>


7. Scanning

- Scanning is done by means of an overhead optical system. It is not required that the diamond tables be strictly horizontal (parallel to the platform), but diamonds set into surfaces (sides or into gallery work) that are not visible when looking straight down will not be scanned.
- For optimal results during the scanning process, it is imperative to place Jewellery at a consistent height. Uneven heights may lead to the capture of blurry images, which can negatively impact the overall quality of the scanning results. Therefore, it is recommended to take care in ensuring that the Jewellery is placed at the same height whenever possible, in order to produce clear and accurate images.



- 1) The home scanning screen is set for loose diamonds as it is indicated with the diamond icon in the Probe selection.
- 2) From the bottom menu bar, select the scanning probe appropriate for your needs. There are three modes available: one for loose diamonds and one for diamonds set into mounted Jewellery and one for Bangle. By default, the home scanning screen is set for loose diamonds, indicated by the diamond icon in the Probe selection.
- 3) To switch to the mode for mounted Jewellery, simply tap on the diamond icon. This will allow you to access the Jewellery mode setting.
- 4) **High Gain:** To improve visibility in low-light environments, select the "Extra Gain" option and then click on the "None" setting, which is represented by a bulb icon.
- 5) **Scanning Mode:** The Guardian Pro machine offers two scanning modes: Manual and Automatic. We recommend using the automatic scanning mode for the automatic detection of LGD (Lab-Grown Diamonds). In manual scanning mode, the system will display the results without marking the diamonds, allowing for manual review. Manual mode has a faster scanning time, taking only around 20 to 25 seconds compared to the automatic mode.

Note: Proper selection of scanning mode and tray background color ensures accurate scanning and optimal results.



- Load the merchandise to test on your selected tray and push the Slide in Tray into the Guardian Pro. Ensure the scanning drive is closed properly before initiating the scanning process.
 - Before scanning, adjust the height of the Guardian Pro machine by rotating the knob located on the right side of the machine.
 - Set the height according to the merchandise by referring to the position markings displayed at the right side corner of the machine. For loose diamond scanning, set the machine at the bottommost position.
 - Tap the Camera Lens Icon on the bottom menu bar. This will begin the scanning process.
 - The scanning process, regardless of the quantity of pieces on the Scanning Platform, will take less than one minute.
- **Note that the most accurate scanning results are achieved with merchandise that is clean.**

CAUTION: When scanning Jewellery, it is best to conceal any tags that are attached. Guardian uses light to perform its analysis. Jewellery tags are highly fluorescent which disrupts and slows the scanning process.

Do your best to conceal these tags or turn them on edge so that are not scan able by the instrument.

Any use of other displays or Jewellery box inserts to scan diamond set Jewellery will generally be unsuccessful. Most of these inserts are made of highly fluorescent materials which will disrupt the scanning process.

When there are large tags or display boxes showing on the tray the length of the scan time will increase as the machine tries to scan them because of their fluorescence.

8. Observation and Interpreting Scanned Results

8.1. Understanding Scan Results

- After Jewellery or Loose Stones are scanned, Guardian Pro Software automatically identifies laboratory-grown diamonds or stones that may be LGD but require further investigation with alternate viewing screens.
- These stones are identified by means of flashing boxes and circles that surround the diamond.
- The flashing shapes are a means to easily identify diamonds that require the operator's attention.
- They may indicate identified laboratory-grown diamonds or stones which require further review using supplemental screens.
- A key to these geometric identifiers is illustrated below.


Lab-Grown Diamond	Check-in Fluorescent	Recheck/Refer	Check in photoluminescent Extra Gain
			
<p>Green Box Blue Circle</p> <p>These stones are certainly laboratory grown</p>	<p>Green Box Red Circle</p> <p>Review under external or internal UV light</p>	<p>Blue Box Red Circle</p> <p>Clean the diamond, arrange separately and scan again</p>	<p>No Marked</p> <p>Check extra gain image & fluorescent</p>
<p>Further Action:</p> <p>Not required</p>	<p>Further Action:</p> <p>If the fluorescent color is anything except red, pink, orange, or radium, it should be considered natural or not visible on the fluorescent screen and labelled as "refer".</p>	<p>Further Action:</p> <p>If same mark appears, check these stones using phosphorescent and photoluminescent views.</p>	<p>Further Action:</p> <p>If any color other than "Blue" and not visible in phosphorescent examine it on a fluorescent screen. If the diamond show fluorescence, but not in red, pink, or radium, then it is likely a natural diamond</p>

These boxes will surround each diamond that is detected as laboratory-grown so that identification is accomplished more easily and rapidly. When scanning small stones that are closely grouped, it is possible that a single box may surround more than one stone.

8.1.1. Basic Scanning Diamond Identification



- This mark indicates, the diamond is not a natural one. It is a lab-grown diamond and does not need any further examination. These stones are definitely grown in a laboratory.
- **False/Positive Case:** Natural Type IIa diamonds also marked under this marking. Colourless and near colourless CVD synthetic diamonds are usually type IIa, while only 2% of natural diamonds are type IIa.
- In the instance of the Natural Type IIa diamond, UV-based detection instruments initially indicate lab-grown diamond. Certainly, additional tests would be required to determine whether the diamond is lab grown or natural.
- In certain cases, if have proper gemmology knowledge can make a decision on natural IIa. If the diamond glows a **“Blue”** colour on a photoluminescent screen and the same blue colour visible in phosphorescent screen. These stones are certainly natural type IIa diamond.

Original	Photoluminescent	Phosphorescent
		
		
		

- This mark identifies a diamond that requires review under an internal or external fluorescent lamp. If the diamond shows fluorescence, but not in red, pink, or radium, then it is likely a natural diamond.



- More than 30% of all natural diamonds exhibit some degree of fluorescence. In D to K colour range, mostly seen Blue or Green colour fluorescence, while nearly all Laboratory-grown diamonds are inert or display only extremely faint fluorescence in Green, Pink, Yellow, Red and many other colour.



- **Important Note:** Following fluorescent colour also seen in natural diamond but consider as “Refer” and send for further lab test as it might be natural or lab grown diamonds.



- This mark indicates that the machine cannot automatically identify this stone. First, clean the diamond, arrange separately and scan again and if same marking appear, use the advance screening method (quad screen view – Describe in next section).



- **“NO-MARKING”:** The automatic marking system processes the captured images and compares them to a preloaded lab-grown diamond library, resulting in three markings. However, in some cases not all diamonds may identify automatically due to heavy light reflection, low light stones, jewellery orientation, camera focus issues, or incorrect probe selection prior to the scan. To ensure that no suspect is left behind, it is best to evaluate ‘No Marked’ diamonds once in advance screening mode. (Quad-Screen).

- Note the stones with Green-Box-Red-Circles. These stones require examination under fluorescent light.


- If they show fluorescence, they are natural.
- If they do not show fluorescence, they are likely laboratory-grown diamonds.
- Examine them further under photoluminescent and phosphorescent light.

- Note stones with **Green-Box-Blue-Circle**. These are certainly Laboratory-grown Consider as a Lab grown diamonds.

- Images in this view can be enlarged by expanding the view with two Fingers on the touch screen.


- These are the marked diamond count only for your reference.

- Click here to check reference colour charts for natural diamonds, lab-grown diamonds, stimulants and natural diamond fluorescent.




8.2. Navigating the Quad-Screen

Quad Screen



Zoom View Screen



1. Zoom View: Quad – Screen

2. Customer support

3. Original Result

4. Photoluminescence Screen

5. Phosphorescence Screen

6. Fluorescence Screen

7. CZ Screen

8. Screen rotation


9. PDF Report generation

10. Colour guidance Chart

8.3. Advanced Analysis

8.3.1. Natural Diamond Identification

- Check “No Marked & Re-Check marked” Diamond in the photoluminescent and phosphorescent View.
- Diamonds that glow like the samples below in the Photoluminescent view and do not glow in the Phosphorescent screen, they should be considered as a Natural diamond.



Samples of Natural Diamonds

- If it emits any colour other than blue in photoluminescence screen, examine it on a fluorescent screen.
- **If the diamond show fluorescence, but not in red, pink, or radium**, then it is likely a natural diamond.
- Review “**Extra Gain**” Image to check low light stones if any and follow the above steps.



**Samples of Refer Diamonds
(Screen-2: Photoluminescent View)**

8.3.2. CZ Diamond Identification


❖ What this Screen do?

- **This screen provides a positive ID for Cubic Zirconia (CZ), which glows yellowish tone as shown in the chart screen – 5.**
- **CZ stones can look very similar to real diamonds but are not actual diamonds, which is why proper identification is important.**

❖ How We Know It's a Cubic Zirconia (CZ)

1. How It Glows Under UV Light

- **In the CZ result panel, all stones glow in the yellowish tone and intensity, confirming they are not real diamonds, but CZ stimulants as shown in the chart below.**



**Samples of CZ Diamonds
(Screen-5: CZ View)**


- **CZ stones do not show multicolor or patchy fluorescence like CVD diamonds.**

8.4. Compare Lots Side by Side with Split View

- The Split View option allows users to view multiple lots at the same time in a split-screen layout. Each lot is shown in its own panel. Helpful for observing how different lots react under UV rays, enabling users to easily identify differences, similarities, and patterns during analysis.



Screen: 01




Screen: 02

8.5. Sample Pendant


- We have provided a sample pendant with the machine that contains three stones two of them are Lab Grown Diamond, and one Natural Diamond.

1. Original Screen




Lab-Grown
Diamond

4. Fluorescence Screen



Lab-Grown
Diamond



2. photoluminescence Screen

3. Phosphorescence Screen

- The Top and Bottom Stone which is marked with “Green Box and Blue Circle” is a Lab-Grown Diamond. In advance Screen it shows Lab-Grown Diamond on photoluminescence (Screen 2) and phosphorescence (Screen 3) view.
- The Middle Stone which does not have any box or mark and it's also have Blue Lumination on photoluminescence Screen it shows Natural Diamond.

9. Retesting

- Laboratory-grown diamonds, particularly, CVD-grown stones are continuing to evolve at a rapid rate of development. The formulae for these stones literally change on a daily basis as manufacturers strive to improve or obscure the origin of their laboratory-grown diamonds. Therefore, we encourage users to go beyond automatic testing if there is any question about the origin of a particular diamond.
- It can be helpful to remove a loose diamond or Jewellery with an identified diamond from the original scanning tray and to scan it by itself or with other suspect items. Look for differences in the results and observe these stones in different views.
- DRC updates the software for Guardian Pro as we continually work to provide the most accurate analysis of diamonds.
- Additionally, our Support Team and our Research and Development Team is available to assist users in the testing and analysis process. Contact our Support Team for further assistance.

10. Additional Features and Viewing Options


Multi-Screen View:

This screen view allows the user to view multiple screens in one frame.


Support Icon:

If the user is experiencing difficulties in machine operation and detection, they can contact DRC Support Team by clicking on the support icon.

Download Scanned Data in *.PDF Format



Screen: 10



Manual Focus

Guardian Pro software will automatically focus merchandise; however, the user can further refine the focus for better clarity by using the manual focus slider that is made visible by tapping on the Focus icon.


Screen Rotation:

The viewing screen can be rotated for viewing by a customer or other person opposite you by tapping this icon.

10.1. Archived Scans and Reports



The Archive of Scans can be viewed by Tapping on 'Result'



The Lot Number and the Date of the Scans are shown in the default View.

10.2. Reports: Search & Download




Search

Search for specific archived data by lot number or date by clicking the search icon.

Download

Download the specific lot # by clicking the Download icon (In PDF format).



Conveniently print the downloaded PDF format report.

11. Maintenance and Support

- Guardian Pro requires little maintenance or upkeep. It is best, whenever possible, to keep the machine clean and dust free. The lenses and filters used in the machine are sensitive to dust and debris contamination. If you experience a problem, contact DRC's 24-hour-a-day Support Team for their assistance.
- Your Guardian Pro machine comes with a one-year comprehensive warranty. All hardware, software, and labour are covered. Also included are unlimited updates from DRC. As the development in the manufacturing of Laboratory grown diamonds changes, it is important to keep the software current and up to date.
- Shown below is contact information and procedures for speaking with someone on our Support Team. We will assist you, at no charge, in learning how to operate your Guardian Pro and in answering your questions about Laboratory-grown diamond identification.
- If you experience a particular operational or identification problem, just advise Support. They will do their best to be of assistance.

11.1. Warranty Claim Process

- If the original purchaser of the Guardian Pro believes that the Guardian Pro is defective, then the original purchaser will promptly contact DRC Warranty or Customer Service at +91 9909990867 or Support@drcindia.in.
- The original purchaser will provide to the DRC customer service representative the product model and serial number, the date of purchase, and details of the alleged defect. In addition, if requested by the DRC customer service representative, the original purchaser will also provide to DRC customer service representative additional information regarding the alleged defect and the use of the Guardian Pro.
- DRC will review the information provided by the original purchaser to confirm that the Warranty Period has not yet expired, and (c) DRC's belief that the Guardian Pro is likely defective, DRC will guide the further steps to the original purchaser.

11.2. Software License

- DRC hereby grants to the original purchaser of the Guardian Pro a non-exclusive, non-transferable license, without the right to sublicense, to use the software embedded in the Guardian Pro (the "Software") solely with the Guardian Pro and solely for the purpose for which it was designed, and not for any other purpose. This license terminates when the owner of the Guardian Pro ceases to possess the Guardian Pro (including without limitation upon the transfer or sale of the Guardian Pro to a third party). No license is granted and no person or entity has the right to sell, transfer, license, loan or otherwise make available in any form to third parties the Software other than the transfer of the Software to the purchaser or transferee of the applicable Guardian Pro. No owner of the Guardian Pro may disassemble, decompile or reverse engineer, copy, modify, enhance, or otherwise change or supplement the Software without DRC's prior written consent. DRC retains all right, title, and interest in and to the Software and the intellectual property rights in the Software and the Guardian Pro, whether such intellectual property rights are registered or unregistered, and wherever in the world those rights may exist.

12. Troubleshoot

12.1. If the machine is not working.

- Plug in the right power supply as specified in the operation manual. Switch on the “Device” and “Mobile”.
- Inspect the diamond/ jewellery tray to see if it is properly inserted into the machine.
- Switch on the software and wait for the device to get started.
- Wear gloves while mounting the jewellery so as to keep it free from masking, coating, greasy or dusty surfaces.
- Make sure that diamonds are properly boiled at 250 degrees Celsius for 30 minutes with a solution mix of H₂SO₄ 30% and HNO₃ 70% for testing the diamonds appropriately.
- Slide the tray inside the device until it gets locked.
- Initiate the scanning process.
- This device has been invented to detect laboratory-grown diamonds only.
- The machine should be switched off for 15 minutes in every four hours for better performance.

12.2. I have laboratory-grown diamonds, but some of the stones are not detected by Guardian Pro.

- Ensure you have followed all the operation instructions correctly.
- It is common to face such a scenario; we have gone through them too. After a deep analysis, we have found that these diamonds are not Lab-Grown but Natural diamonds.
- There are chances that they were accidentally replaced during the manufacturing process or the grading process.
- There might be a possibility of them being coloured diamonds.
- There might be a chance of them not being properly cleaned or masked.
- Scan it again, if the results achieved are the same, click on the “Help” button on the software to approach our technical team. They will provide you with the necessary assistance.

12.3. My diamonds are natural but Guardian Pro detects few of them as Lab-Grown.

- Ensure you have followed all the operation instructions correctly.
- It is common to face such a scenario; we have gone through them too. After a deep analysis, we have found that these diamonds are not Lab-Grown but Natural diamonds.
- There are chances that they were accidentally replaced during the manufacturing process or the grading process.
- There might be a possibility of them being coloured diamonds.

- There might be a chance of them not being properly cleaned or masked.
- Scan it again, if the results achieved are the same, click on the “Help” button on the software to approach our technical team. They will provide you with the necessary assistance.

13. FAQ

13.1. What does Guardian Pro do?

- The sole purpose of the Guardian Pro is to uphold consumer confidence in the natural diamond industry. Most of the diamonds or diamond Jewellery purchased today are for emotional occasions like weddings, engagements, anniversaries, birthdays, and so on and so forth. The consumers should know what they are buying. A Lab-Grown diamond may have a place in the Jewellery segment but mixing or unethically selling Lab-Grown diamonds with the tag of it being a Natural diamond is playing with the customer’s emotions, resulting to a lack of consumer confidence in the industry. This concern was shared with us by many players of the fraternity. Thereafter as a part of this industry, we have taken this situation as a challenge and invented Guardian Pro as a result.

13.2. Why Guardian Pro?

- Most of the detection tools or devices available in the market are either very costly or are limited to specific sizes, shapes, speed, accuracy or the device is being made for specific clientele alone. Most devices can only detect TYPE- IIA which requires further testing and analysis to be done in the Lab.
- It requires a lot of time and energy to make sure that all purchases are Natural Diamonds. After years of research on the perennial issues, we have consolidated the solution in one single device i.e. Guardian Pro. Guardian Pro was developed to detect Lab-Grown Diamonds.

13.3. What size of diamonds it detects?

- Guardian Pro is a device that detects lab-grown diamonds of all sizes from 0.003Cts (+0000 Sieve size) and larger, whether colourless or near to colourless Lab-Grown diamonds.

13.4. What diamond shapes does it detect?

- Guardian Pro Machine can detect all shape of Diamond from D TO K Colours.

13.5. Is it type II-Identification, does further identification required?

- Guardian Pro directly detects lab grown Lab-Grown diamonds (Diamond grown in laboratory by HPHT as well as CVD techniques) within all colourless or near colourless diamonds. It does not require further testing as the results are shown on the spot.

13.6. Is it good for rough diamonds also?

- Yes.

13.7. What is the speed?

- Currently, it scans one tray (2.4-inch x 2.4-inch) filled with diamonds in about 45-90 seconds.

13.8. How to operate?

- Operating this device is very simple and easily understandable. The operator needs to go through the operation manual before operating Guardian Pro. For the test, ensure that the right size tools are chosen, colourless diamonds must be properly cleaned/boiled and they should not overlap one another.

13.9. How about after-sales service?

- While designing the machine, we have taken care of using limited parts that require service in the machine. If anything happens to the machine within the warranty period or even after the warranty period, the customer is advised to contact our India support centre.

Warranty & Service Contact Information



DRC is a manufacturer of highly technical instruments. They come with a one-year, all-inclusive Warranty. After one-year, optional service and warranty programs are available on a subscription basis.

DRC Support Contact Options

Email DRC Support Team.....	support@drcindia.in
Telephone in Surat India (charges may apply).....	+91-9909990867 or
Call us on Whatsapp (free).....	+919909990867
MS TEAMS.....	SupportDrcIndia

Although your instrument does not require a continual internet connection, most problems and any updates can be handled online in cooperation with our Support Team. We encourage our customers to communicate directly with our support engineers who are generally available 24 hours a day.

Our online service engineers have extensive training on both the hardware and software parts of our instruments; they occasionally require the additional support of hardware engineers, programmers, database software engineers, or someone from our research and gemmology teams.


➤ **Follow these steps so that we can help you in the resolution of any question or problem.**

1. Make sure that you have a proper internet connection. If you elect not to have a constant connection, please have someone from your technical service team establish a stable connection.
2. To connect to your local Wi-Fi network, follow these instructions:
 - Swipe up on the mobile phone and tap on the settings icon. 
 - Tap on the Network and Internet icons. 
 - Tap on the Wi-Fi icon. 
 - Select your local Wi-Fi network from the list.

3. Swipe from the bottom and tap on the Team Viewer icon. 

4. Tap the OPEN QUICKSUPPORT bar. 

5. Send the **10-digit number** to DRC Support



➤ **Be prepared to provide a full description of the problem or issue to the service engineer. Stay available if they require your hands-on intervention.**

➤ **Contacting our Support Team directly is the best way to resolve your issue.**

- i We log in only for the duration of the session.
- ii The Support Team only resolves an issue or performs an update. We do not access your archive of scanned images without your request and permission.

14. Warranty

14.1. Limited Warranty

- Subject to the exclusions, limitations, and conditions set forth below, DRC warrants to the original purchaser of the Guardian Pro will be free from defects in material and workmanship, when subjected to normal, proper, and intended usage by properly trained and informed users, for twelve (12) months from the date of shipment of the Guardian Pro to the original purchaser (the "Warranty Period".)
- DRC shall not have any liability if the Guardian Pro (a) is unable to determine, distinguish or detect whether an item being analysed by the Guardian Pro is a natural diamond, potential laboratory-grown, processed, or treated, or potentially a diamond stimulant or (b) makes an inaccurate determination or gives an inaccurate reading as to whether the item is a natural diamond, potentially laboratory-grown, treated, or processed, or is potentially a diamond stimulant.
- For any defective Guardian Pro that is returned to DRC by the original purchaser during the Warranty Period in compliance with the process specified below, DRC will, at DRC's option, repair or replace the defective Guardian Pro, or refund the price paid to DRC for the defective Guardian Pro. A replacement may be a new or refurbished Guardian Pro in DRC's sole discretion and any such replacement will continue to be subject to the warranty set forth above for the balance of the Warranty Period for the Guardian Pro initially purchased.

14.2. Exclusion

- Guardian Pro will not be deemed defective and DRC will not have any obligation to repair or replace a Guardian Pro, or refund the price paid for the Guardian Pro as a result of any one or more of the following:
 - i Normal wear and tear,
 - ii Accident, disaster, or event of force majeure,
 - iii Misuse, fault, or negligence of or by any user or other person,
 - iv Use of the Guardian Pro in a manner for which it was not designed,
 - v Causes external to the Guardian Pro such as, but not limited to, power failure, electrical power surges, exposure to fire, water, other liquids, excessive humidity or temperature, virus software attacks,
 - vi Improper storage or handling of the Guardian Pro, or
 - vii Use of the Guardian Pro in combination with equipment or software not supplied by Guardian Pro.
- Using the mobile phone for any other purpose, opening or tampering with the Guardian Pro without the supervision of the DRC engineer or written approval of DRC shall immediately void and cancel all warranties.

14.3. Terms and Conditions

14.3.1. Definition:

- In this document the following words shall have the following meanings:
 - "Buyer" means the organization or person who buys Goods.
 - "Goods" means the articles to be supplied to the Buyer by the Seller.
 - "Intellectual Property Rights" means all patents, registered and unregistered designs, copyright, trademarks, know-how, and all other forms of intellectual property wherever in the world enforceable.
 - "Seller" means an individual or entity that exchanges any type of good or service in return for the payment

14.3.2. General

- These Terms and Conditions shall apply to sales of Goods by the Seller to the Buyer to the exclusion of all other terms and conditions referred to, offered, or relied on by the Buyer whether in negotiation or at any stage in the dealings between the parties, including any standard or printed terms tendered by the Buyer, unless the Buyer specifically states in writing, separately from such terms, that it wishes such terms to apply and this has been acknowledged by the Seller in writing. Any variation to these Terms and Conditions (including any special

terms and the conditions agreed between the parties) shall be inapplicable unless agreed in writing by the Seller.

14.3.3. Service and AMC

- In the event that a DRC support engineer must travel to physical service/physical health check-up of an instrument, the cost of their travel will be borne by the customer. These costs may include air or ground transportation, overnight accommodations, and food. We endeavour to keep these costs as low as possible.
- Payment Must be released within 1 week of Service completion, Delay in payment will affect the Credit score of the organization resulting in the Advance payment of Future service.
- Physical check-ups of DRC instruments on customer demand will be scheduled as required or requested in accordance with the engineers' schedules.
- Local taxes may of necessity be added in compliance with regional requirements and regulations. (2 % TDS for Indian clients)
- If the machine is under Expired/ online AMC, Up gradation of comprehensive warranty will be allowed only after the company checks the machine's condition by DRC Engineers Depending on the report DRC has the right to Denial the request.
- DRC machine extended warranty does not cover damage to the machine at the time of the accident, disaster, or natural calamities.
- Separately manufactured components by third parties such as touch screen LCD PC, laptop, notebook computers, D-Imaging cameras, or mobile phones are not covered under AMC. At remote locations where DRC Engineers are unavailable we might need help from customers, necessary training and troubleshooting videos will be provided by DRC Online.
- If there are changes in billing name, address, or any other details, it should be rectified when Performa Invoice is issued, not after the final Tax Invoice is issued.
- Client Needs to verify your company name, address, and contact details via multiple departments of your organization to generate Performa Invoice.
- As per Govt. Norms it is mandatory to generate Tax Invoices Will Generate Via Electronic Medium.
- Once the Invoice will generate It cannot change any details.
- As per Indian Government Rule 89 in respect of supplies to a Special Economic Zone evidence regarding the reception of service/goods for authorized operation is Mandatory with the official's sign & stamp.
- For Delivery in Overseas countries respected country custom charges will be bear by the customer only as per their country's norms.
- During machine servicing, if any other parts are found to be damaged then our service team will inform you for further charges.
- In case the Machine need to be sent to DRC Head Office or authorized service centres travelling and Freight charges will be bear by the customer only.

14.3.4. DRC product Service will be void if,

- Any item or component damaged due to external power supply or environmental conditions beyond the limits specified by the company.
- Repair carried out by Non-authorized DRC personnel. Other than DRC Engineers.

- Natural disasters such as floods, explosions, fire, earthquakes, acts of public enemy, wars, insurrections, riots, labour disturbances, strikes, lack-outs, sabotage, accident to equipment, etc., shall also be excluded from the warranty.
- If the product serial number or warranty seal is illegible or has been removed, erased, defaced, altered, and tampered with.
- If the consumable parts used by the customer do not meet the standards specified by the company.
- In the above Cases DRC Has all the rights to deny any repair or service.

14.3.5. Order

- Order is only valid once a 30% deposit is received. Once the buyer fills out the complete order form, a Performa Invoice will be generated through which the buyer needs to pay 100% of the price of the goods.

14.3.6. Price & Payment

- The price shall be the Recommended Retail Price less the agreed discount unless otherwise agreed in writing between the parties. The price is exclusive of VAT or any other applicable taxes.
- Credit terms may be offered subject to satisfactory credit vetting of the Buyer by the Seller. The offer of credit will be at the sole discretion of the Seller.
- Where credit is offered payment of the price and VAT and any other applicable taxes shall be due within 15 days of the date of the invoice supplied by the Seller, unless otherwise agreed in writing. In cases where credit is not offered payment will be required before the release of goods by the Seller.
- The Seller shall be entitled to charge interest on overdue invoices from the date when payment becomes due from day to day until the date of payment at a rate of 12 percent per annum.
- If payment of the price or any part thereof is not made by the due date, the Seller shall be entitled to:
 - Require payment in advance of delivery in relation to any Goods not previously delivered.
 - Refuse to make delivery of any undelivered goods without incurring any liability whatever to the buyer for non-delivery or any delay in delivery.

14.3.7. Description

- Any description given or applied to the Goods is given by way of identification only and these of such description shall not constitute a sale by description. For the avoidance of doubt, the Buyer hereby affirms that it does not in any way rely on any description.

14.3.8. Delivery

- Unless otherwise agreed in writing, delivery of the Goods shall take place at the address specified by the Buyer on, or as close as possible to the date required by the Buyer. The Buyer shall make all arrangements necessary to take delivery of the Goods whenever they are tendered for delivery.
- If the Seller is unable to deliver the Goods because of actions or circumstances under the control of the Buyer, then the Seller shall be entitled to place the Goods in storage until such times as delivery may be affected and the Buyer shall be liable for any expense associated with such storage.
- Any damages, shortages, over deliveries, and duplicated orders should be reported to the Seller within 14 days of signed receipt to enable replacement or refund.
- Delivery is strictly based on First come First Serve bases and sole discretions of DRC.

14.3.9. Risk

- Risk in the Goods shall pass to the Buyer upon receipt of the goods. Where the Buyer chooses to collect the Goods itself, risk will pass when the Goods are entrusted to it or set aside for its collection, whichever happens first.

14.4. Title

- Title in the Goods shall not pass to the Buyer until the Seller has been paid in full for the Goods.

14.4.1. Return of Unused Goods

- All goods are sold on a firm sale basis, i.e. the Seller will not take back any goods not required or sold by the Buyer unless otherwise agreed, in which case the following terms apply.
- Any returns must be authorized by a representative of the Seller before any credit will be given.
- Credit of the amount due or paid-in will only be given for goods that are in saleable condition.

14.4.2. Limitations of Liability and Warranty

- Warranty is void if the device is tampered / physically damaged/dispersed or dissipated by other than the authorized technician; will full damage is offensive under IP law.

14.4.3. Intellectual Property Rights

- All Intellectual Property Rights produced from or arising as a result of the performance of this Agreement shall, so far as not already vested, become the absolute property of the Seller, and the Buyer shall do all that is reasonably necessary to ensure that such rights vest in the Seller by the execution of appropriate instruments or the making of agreements with the third parties.

14.4.4. Force Majeure

- The Seller shall not be liable for any delay or failure to perform any of its obligations if the delay or failure results from events or circumstances outside its reasonable control, including but not limited to acts of God, strikes, lockouts, accidents, war, fire, breakdown of plant or machinery or shortage or unavailability of raw materials from a natural source of supply, and the Seller shall be entitled to a reasonable extension of its obligations. If the delay persists for such time as the Seller considers unreasonable, it may, without liability on its part, terminate the contract.

14.4.5. Relationship between Parties

- Nothing contained in these Terms and Conditions shall be construed as establishing or implying any partnership or joint venture between the parties and nothing in these Terms and Conditions shall be deemed to construe either of the parties as the agent of the other.

14.4.6. Assignment and Sub-Contracting

- The contract between the Buyer and Seller for the sale of Goods shall not be assigned or transferred, nor the performance of any obligation sub-contracted, in either case by the Buyer, without the prior written consent of the Seller.

14.4.7. Waiver

- The failure by either party to enforce at any time or for any period any one or more of the Terms and Conditions herein shall not be a waiver of them or the right at any time subsequently to enforce all Terms and Conditions of this Agreement.

14.4.8. Severability

- If any term or provision of these Terms and Conditions is held invalid, illegal, or unenforceable for any reason by any court of competent jurisdiction such provision shall be severed and the remainder of the provisions hereof shall continue in full force and effect as if these Terms and Conditions had been agreed with the invalid, illegal or unenforceable provision eliminated.

14.4.9. Governing Law and Jurisdiction

- This Agreement shall be governed by and construed in accordance with the laws of India and the parties hereby submit to the exclusive jurisdiction of Surat district court.

14.5. Privacy

- Supplementary Mobile can only be used with Guardian Pro and not for any other purpose. DRC enjoys the right to access the supplementary Mobile if/when required. Access data may be used for improvement opportunities; such data will be kept confidential by DRC.
- Buyers/Users of this device must keep the supplementary Mobile connected to the internet to receive regular over-the-air software updates.
- Buyers/Users are not allowed to resale or purchase on Behalf without prior permission, Guardian Pro is running on an online validation Process, System will stop working if owner details mismatch.
- Buyers of the device must register themselves with a UID provided & listed with each device. The purpose of UID is to maintain the chain of custody system. UID and scanning data may also be used as evidence in the protection of users from fraudulent claims.

14.6. Machine Maintenance policy

- Following is the significance of the maintenance policy:
 - It ensures that the equipment is always ready and in reliable condition.
 - It ensures that the equipment is always maintained and calibrated to provide good results ensuring that your operators should be aware of the machine software and its operations.
 - It ensures maintenance of proper earthing, power supply, and spacing (for ventilation) as per the machine standard.

- If any organization does not implement an effective maintenance policy, then it can result in the following results:
 - It reduces production time.
 - It reduces the machine's efficiency.
 - It requires daily maintenance/service.
 - Parts can be damaged before their expected life.
 - It affects the overall machine accuracy.

14.7.Machine Service policy

14.7.1. Online Troubleshooting

- Client must have a High-Speed internet facility for service support.
- Online service support will help you to troubleshoot the based on virtual analysis.
- Online service support will help you to find out the cause of the problem.
- Online service support will try to resolve the problems online but in rare cases it needs the engineer visit for further troubleshooting.

14.7.2. Physical Troubleshoot

a) Customer Premises (Engineer visit)

- Our engineer will inform the client of critical/non-critical damaged parts in the machine.
- Our engineer will inform/alert the client which parts would get expired in the future.
- Our engineer will guide you on how to maintain external accessories and standards to be maintained.
- During the Machine health check-up visit, our engineer will provide you with a detailed report.

b) Company Premises (DRC Office)

- During in-house service if additional parts are found to be damaged in the machine, then it will be replaced after getting the confirmation from the client.

c) Machine Transfer Policy

- If any client will sell or transfer the product, then the client must have provided the supportive legal documents to the DRC for continuing service support.

14.8.Using Third Party Apps and Service Policy

- At the time of troubleshooting, the client must have enabled all the permissions and removed security restrictions from the machine.
- DRC will not take responsibility of the accidental data loss, due to a third-party product that has stopped or malfunctioned. (i.e. Corrupted MS Windows and HDD and accidental data loss.) We always recommend you back up your data for safety and security.
- Third-Party app requires permission and continuous attention for smooth operation.
- MS Windows security could stop the third-party apps and its services so, that it requires updating your windows software as well the third-party app from time to time.

About DRC

DRC is a privately held, not-for-profit company based in Surat, India. The company's principal focus is on technological advancements for use in the diamond industry. In addition to a variety of instruments designed for the detection of laboratory-grown diamonds, DRC has created a variety of instruments to photograph gemstones or Jewellery, uniquely identify diamonds, and assist in the evaluation of their qualities for the trade.

Also, DRC is an industry leader in machinery for the manufacture and finishing of diamonds for factories around the world.

Support

Mobile Number: +91 99099 90867
Email: support@drcindia.in
MS Teams: Support DrcIndia

Warranty

Mobile Number: +91 9909992585
Email: warranty@drcindia.in
MS Teams: Warranty DrcIndia

DIAMTECH RESEARCH CENTRE PRIVATE LIMITED

Plot No. 3, B/S Kiran Hospital
Vastadevdi Road, Katargam
Surat Gujarat 395004
India.

Phone: +91261 2309900
contact@drcindia.in
sales@drcindia.in
www.drcindia.in